Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/1945272011/05-07-2016

Office of
The Assistant Executive Engineer
N5 SRS GATE, BESCOM,
DATE: 05-07-2016

To,
AEE (BBMP T DASARAHALLI SUB-DIVISION),
BEHIND RAGHAVENDRA HOSPITAL T DASARAHALLI

KARNATAKA
560057

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:991052316073 Dated: 01-07-2016**
2) Account ID : 0409636075
3) Prevailing KERC regulations.

With reference to your Application No. **991052316073 Dated: 01-07-2016**, power supply to an extent of **0 KW** and **10 HP** on Account ID **0409636075** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	**0**
2	No. of Floors Added or New	**0**
3	Existing Plinth Area in sq.m.	**0**
4	Added or New Plinth Area in sq.m.	**0**
5	**Total Plinth Area in sq.m.**	**0**

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	**0**
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of The Assistant Executive Engineer (El) **N5 SRS GATE, BESCOM** within **90** days from the date of this letter:

Sl. No.	Particulars	Amount
1.	Initial Security Deposit (ISD)	₹7400.00
2.	Service Line charges (Development Charges)	₹0.00
3.	Additional Service Line charges (Additional Development Charges)	₹0.00
4.	Infrastructure charges	₹0.00
5.	10 % Supervisory Charges	₹0
	Total	₹7400.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters __1__ Nos.

b) Three Phase Meters __0__ Nos.

c) ETV Meters __0__ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shal be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

N5 SRS GATE, BESCOM

N5 SRS GATE

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

WJ 0782565

Receipt Number	040963647800
Receipt Date	01-07-2016 14:45:23
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	0409636075
Person Name	AEE (BBMP T DASARAHALLI SUB-DIVISION)
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

ಕಛೇರಿ ಮೊಹರು

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

WM 1109524

Receipt Number	040963601786
Receipt Date	06-07-2016 14:27:29
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	0409636075
Person Name	AEE (BBMP T DASARAHALLI SUB-DIVISION)
RR Number	
Total Payment	Rs7,400.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

Seven Thousand Four Hundred Rupees Only

ಕಛೇರಿ ಮೊಹರು

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
North Division BESCOM Office Compound,
West of Chord Road, Next to Power House,
Rajajinagar, Bangalore - 560 010.

Name AGE BRMP

Address Shetty Halli sub DIVISION
T. Dasarahalli
Blore

BILL No. **R** 122796

DATE : TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos. 3 phase C217234	1	1650	1650	00
			VAT @ 14.5%	239	25
			GRAND TOTAL	1889	25

Name of Company BESCOM DVN. N5

W.O. No. D-11683 Date 6/7/16

E.&O.E.
Branches at :

For **Landis+Gyr Limited.**

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/7789868932/05-07-2016

Office of
The Assistant Executive Engineer
N5 SRS GATE, BESCOM,
DATE: 05-07-2016

To,
AEE. BBMP (T DASARAHALLI SUB-DIVISION),
1ST MAIN ROAD KEMPEGOWDANAGAR T DASARAHALLI

KARNATAKA
560057

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: 1) Application No:503214159127 Dated: 01-07-2016
2) Account ID : 7140440334
3) Prevailing KERC regulations.

With reference to your Application No. **503214159127 Dated: 01-07-2016**, power supply to an extent of **0 KW** and **10 HP** on Account ID **7140440334** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	0
2	No. of Floors Added or New	0
3	Existing Plinth Area in sq.m.	0
4	Added or New Plinth Area in sq.m.	0
5	**Total Plinth Area in sq.m.**	0

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	0
2	New/ Additional Load Required	0 KW and 10 HP
3	Total Load	7.46 KW

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of The Assistant Executive Engineer (EI) **N5 SRS GATE, BESCOM** within **90** days from the date of this letter:

Sl. No.	Particulars	Amount
1.	Initial Security Deposit (ISD)	₹7400.00
2.	Service Line charges (Development Charges)	₹0.00
3.	Additional Service Line charges (Additional Development Charges)	₹0.00
4.	Infrastructure charges	₹0.00
5.	10 % Supervisory Charges	₹0
	Total	₹7400.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters __1__ Nos.

b) Three Phase Meters __0__ Nos.

c) ETV Meters __0__ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Youts faithfully

Assistant Executive Engineer

N5 SRS GATE, BESCOM

ಬೆಸ್ಕಂ
BESCOM

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

---------- THANK YOU ----------

WJ

0782567
N5 SRS GATE

ಕಛೇರಿ ಮೊಹರು

Receipt Number	714044058976
Reciept Date	01-07-2016 14:45:23
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	7140440334
Person Name	AEE. BBMP (T DASARAHALLI SUB-DIVISION)
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

---------- THANK YOU ----------

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆಸ್ಕಂ
BESCOM

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

---------- THANK YOU ----------

WM

1109526
N5 SRS GATE

ಕಛೇರಿ ಮೊಹರು

Receipt Number	714044087330
Reciept Date	06-07-2016 14:27:29
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	7140440334
Person Name	AEE. BBMP (T DASARAHALLI SUB-DIVISION)
RR Number	
Total Payment	Rs7,400.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

Seven Thousand Four Hundred Rupees Only

---------- THANK YOU ----------

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
North Division BESCOM Office Compound,
West of Chord Road, Next to Power House,
Rajajinagar, Bangalore - 560 010.

Name AEE BBMP

Address T- Dasarahalli
Shetty Halli subDivision
Block

BILL No. R 122795

DATE : TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos. 1phase C017233	1	1650	1650	00
			VAT @ 14.5 %	239	25
			GRAND TOTAL	1889	25

Name of Company BESCOM DVN. N5

W.O. No. D-11685 Date 6/7/16

E.&O.E.
Branches at :

For **Landis+Gyr Limited.**

Bangalore Electricity Supply Company Limited

No.: BESCOM/NC_LTPWRSA/5548544666/05-07-2016

Office of
The Assistant Executive Engineer
N5 SRS GATE, BESCOM,
DATE: 05-07-2016

To,
AEE. BBMP (T DASARAHALLI SUB-DIVISION),
BHUVANESHWARI NAGARA 7TH MAIN ROAD 2ND CROSS AMMAJI KALYANAMANTAPA BEHIND

KARNATAKA
560057

Sir/Madam,

Sub: Arranging LT power supply-NEW CONNECTION

Ref: **1) Application No:990101121214 Dated: 01-07-2016**
2) Account ID : 6906291646
3) Prevailing KERC regulations.

With reference to your Application No. **990101121214 Dated: 01-07-2016**, power supply to an extent of **0 KW** and **10 HP** on Account ID **6906291646** under LT basis, is hereby sanctioned, subject to the following:

1. Details of your building/premises:

   a. **Plinth area:**

1	No. of Floors Existing	**0**
2	No. of Floors Added or New	**0**
3	Existing Plinth Area in sq.m.	**0**
4	Added or New Plinth Area in sq.m.	**0**
5	**Total Plinth Area in sq.m.**	**0**

   b. Total height of the building above ground level in m: **0**

2. The **PROPOSED** Sanctioned Load of your building is **7.46 KW**

   Existing Load Details of your premises:

1	Existing Sanctioned Load	**0**
2	New/ Additional Load Required	**0 KW and 10 HP**
3	Total Load	**7.46 KW**

You are requested to pay the following charges by Cash/ DD (above ₹10000/-, only DD will be accepted) in favour of The Assistant Executive Engineer (EI) **N5 SRS GATE, BESCOM** within **90** days from the date of this letter:

Sl. No.	Particulars	Amount
1.	Initial Security Deposit (ISD)	₹7400.00
2.	Service Line charges (Development Charges)	₹0.00
3.	Additional Service Line charges (Additional Development Charges)	₹0.00
4.	Infrastructure charges	₹0.00
5.	10 % Supervisory Charges	₹0
	Total	₹7400.00

Note: 2 MMD/MSD shall be paid separately for individual installations (separate Payment Receipts to be drawn).

3. The power supply will be arranged at 400V

4. The Power Tariff applicable to your proposed installation will be **Monthly LT6A tariff schedule for metered customers(BESCOM)** Tariff, or as in force from time to time

5. You have to confirm to purchase High precision/Electrostatic meters/ETV meters of the following capacity:

a) Single Phase Meters __1__ Nos.

b) Three Phase Meters __0__ Nos.

c) ETV Meters __0__ Nos.

d) TP box with _____CTR _____Nos.

6. After the payments, the following requirements may please be fulfilled:

a) Execute agreement of power supply on ₹200/- Stamp Paper in duplicable, for individual installations in the prescribed format

b) Produce necessary License/Permit/No Objection Certificate etc., issued by the Competent Authority, as required under the statute

7(a) The Power supply will be arranged by **BESCOM** as below:

a) From the existing _KVA Transformer

b) After enhancement of TC capacity from KVA to **0** KVA of the TC located at

c) After erecting new **0** KVA transformer under service connection

7(b) If you intend to install distribution transformer inside your premises, and execute the work under self-execution, to avail above power supply, the following shall be complied:

i. An electrical room with RCC roof having clear floor area of 5 metres X 4 metres, with a vertical clearance of 2.75 meters with locking facility, exhaust fans and adequate size of cable duct, shall be provided at the ground floor, within the Applicant's premises nearer to the main entrance, for installing floor mounted distribution transformer and associated switchgear, or

ii. A clear space of 3 metres X 5 metres open to the sky shall be provided, within the Applicant's premises, preferably at the main entrance, for installing structure mounted distribution transformer and switchgear

8. BESCOM approved suitable capacity circuit breaker, ELCB & switchgears shall be used, and all the provisions under KERC Regulations 4.03 and 4.04 shall be complied

9. BESCOM reserves the right to cancel power supply and forfeiting of the Deposits paid by you, if the documents submitted by you are found to be fake

10. As per the Govt. Order, solar water heaters of suitable capacity shall be provided

11. Five nos. of Compact Fluorescent Lamps shall be used for each installation

12. The metering equipment to be installed should be conspicuously visible and at the main entrance to the premises, preferably with an independent entrance

You are requested to contact the undersigned in case of any other information that may be required by you.

We remain at your services.

Yours faithfully

Assistant Executive Engineer

N5 SRS GATE, BESCOM

ಬೆಸ್ಕಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

THANK YOU

N5 SRS GATE

WJ 0782566

ಕಛೇರಿ ಮೊಹರು

Receipt Number	690629179092
Reciept Date	01-07-2016 14:45:23
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	6906291646
Person Name	AEE. BBMP (T DASARAHALLI SUB-DIVISION)
RR Number	
Total Payment	Rs100.00
Mode of pay	Cash
Purpose	Non Revenue
Non Revenue category	REG-FEE

One Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

ಬೆಸ್ಕಂ

ಬೆಂಗಳೂರು ವಿದ್ಯುತ್ ಸರಬರಾಜು ಕಂಪನಿ ನಿಯಮಿತ

THANK YOU

N5 SRS GATE

WM 1109525

ಕಛೇರಿ ಮೊಹರು

Receipt Number	690629195872
Reciept Date	06-07-2016 14:27:29
Cash Counter	BESCOM-N5 Peenya Additional Counter
Payor Account ID	6906291646
Person Name	AEE. BBMP (T DASARAHALLI SUB-DIVISION)
RR Number	
Total Payment	Rs7,400.00
Mode of pay	Cash
Purpose	Deposits
Non Revenue category	2MMD-FEE

Seven Thousand Four Hundred Rupees Only

ನಗದು ಗುಮಾಸ್ತರ ಸಹಿ

Manu Enterprises

TAX INVOICE

Landis+Gyr Limited

ಲ್ಯಾಂಡಿಸ್+ಗೇರ್ ಲಿಮಿಟೆಡ್

Landis+Gyr

R. O.
No. 503, 3rd Main,
50 Feet Road, Srinagar,
Bangalore - 560 050

Branch Office
North Division BESCOM Office Compound,
West of Chord Road, Next to Power House,
Rajajinagar, Bangalore - 560 010.

Name AEE BBMP

Address Shetty Halli SUB Division T. Dasarahalli Blore

BILL No. **R** 122789

DATE : TIME : AM/PM

TIN : 29330352183
CST No. 01153900 Dt. 10-03-2003

Sl. No.	Description	Quantity	Rate per Pc Rs.	Value Amount Rs.	P.
	Single Phase Static Energy Meter Type : E150, 5-30 Amps Sl. Nos. 3 phase C214647	1	1650	1650	00
	Name of Company BESCOM DVN. [illegible] W.O. No. D - 11677 Date 5/7/16		VAT @ 14.5%	239	25
			GRAND TOTAL	1889	25

E.&O.E.
Branches at :

For **Landis+Gyr Limited.**

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 324 Date : 7-6-16

1. Customer's Name and Address with Telephone No. : Assistant Executive Engineer, Dasarahalli Sub Division, BBMP, Banglore

2. Well Location : BEHIND RAGHAVENDRA HOSPITAL - T DASARHALLI

3. Total Well Depth / Drilled in Ft. : 1195 FT

4. Casing Erected in Ft. : 318 FT

5. Water Struck at the Depth of : 900 FT

6. Total Yield (Measuring method "V" Norch : 2' 1/2" / Inches on "V" Norch)

7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear

8. At the Depth of :

9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 323 Date : 7/6/16

1. Customer's Name and Address : Assistant Executive Engineer
   with Telephone No. Dasarahalli Sub Division
   BBMP. Banglore
2. Well Location : 1st MAIN ROAD - KEMPEGOWDA NAGAR - T. DASARHALLI
3. Total Well Depth / Drilled in Ft. : 1190ft
4. Casing Erected in Ft. : 330ft
5. Water Struck at the Depth of : 980ft
6. Total Yield (Measuring method "V" Norch : 3' / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear
8. At the Depth of : 980ft
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

Party's Signature

Manager / Proprietor

BOREWELL COMPLETION REPORT

VINAYAKA ENTERPRISES

Borewell Drilling Contractors

Mobile : +91 9342202932 / 9343202932

No. 9, Bhadrappa Layout, Bhadrappa Compound, Near Hebbal, Ring Road, Bangalore 560094

No. : 322 Date : 7/6/16

1. Customer's Name and Address : Assistant Executive Engineer
   with Telephone No. Dasarahalli Sub Division
   BBMP Bangalore
2. Well Location : 7th MAIN 2nd CROSS. BHUVANESWARI NAGAR
3. Total Well Depth / Drilled in Ft. : 1190ft
4. Casing Erected in Ft. : 850ft
5. Water Struck at the Depth of : 980ft
6. Total Yield (Measuring method "V" Norch : 2"1/2 / Inches on "V" Norch)
7. Formation of Soil/Well Water Condition : Boulders/Silt/Loose Soil/Clear
8. At the Depth of : 980ft
9. Recommended to use Jet Pump / Air Compressor / Submersible /Hand Pump

The Borewell was drilled in accordance with the company terms and conditions and handed over to customer in good/ satisfied / Party agreed conditions.

Once the well handed over to party, company is no way responsible for further developments if anything in the well or what so ever.

Party's Signature

I, owner of the Well / (Authorised signatory) fully understood the terms and conditions and the well completion report, I also fully understood the quality and quantity of water from the well duly depend upon the nature / formation of ground water and the drilling agency no way responsible for further occurrence / Changes in the bore with full satisfaction. I hereby endorse my signature.

For VINAYAKA ENTERPRISES

ಸಹಾಯಕ ಕಾರ್ಯನಿರ್ವಾಹಕ ಅಭಿಯಂತರರು
ಟಿ.ದಾಸರಹಳ್ಳಿ ಉಪ-ವಿಭಾಗ
ಬಾಗಲಗುಂಟೆ, ಬಿಬಿಎಂಪಿ
ಬೆಂಗಳೂರು

Party's Signature

Manager / Proprietor

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom

Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date : 7/8/16

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging BANGALORE city/village BEHIND RAGHAVENDRA HOSPITAL Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards NW marked by Red Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Loose rock.

SOURCES EXTRACTED :

(I) Betwen 500 - 580 ft/mtrs. (II) 610 - 750 ft/mtrs.

(III) 960 - 980 ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of 950 ft/mtrs. Below the ground level, casing pipe required be to app depth of 310 ft/mtrs.

Approx, yield expected may be around 3800 GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

****

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

****

ಸಹಾಯಕ ಕಾರ್ಮಿಕ ಆಯುಕ್ತರು
ಬೆಂಗಳೂರು

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom
Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date : 16-16

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging BANGALORE ..... city/village 1st MAIN ROAD, KEMPE GOWDA NAGAR Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards ..... NW ..... marked by ..... Slurry .... Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by ..... Hard ..... rock.

SOURCES EXTRACTED :

(I) Betwen ..... 640-690 FT ..... ft/mtrs. (II) ..... 900 - 980 FT ..... ft/mtrs.

(III) ..... ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of ..... 1180 FT ..... ft/mtrs. Below the ground level, casing pipe required be to app depth of ..... 830 FT .....ft/mtrs.

Approx, yield expected may be around ..... 4100 .....GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

(NAGARAJ MOKASHI)

Save Water

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.

Am An GEO CONSULTANT

NAGARAJ MOKASHI, MSc.,
GEOLOGIST

Mobile : 94483 13401
e-mail : ngmokashi@rediffmail.com
am.an4geoconsultant@gmailcom
Ramjyothi Nagar, R.V.College Post, Bangalore - 560 059.

To,

Date : 16/06

GEO-TECHNICAL SURVEY REPORT

(Ground Water Exploration)

Sir / Madam,

As per your work order/request Geo-Hydrological / Geo-physical Survey carried out in your land / site belonging BANGALORE city/village 7th MAIN 2nd CROSS, BHUVANESWARI NAGAR Dated on .....in order to assess the ground water potential of the area for drinking / irrigation / industrial purposes.

The area inspected has a slope towards EN marked by Red Soil, uneven topography hydrogeological features are found to be favourable / not favourable for ground water extraction. Geology of the area is marked by Toode rock.

SOURCES EXTRACTED :

(I) Betwen 400-490FT ft/mtrs. (II) 690 - 740 FT ft/mtrs.

(III) 820 - 900FT ft/mtrs.

From the study of the above field observation, Investigation results, a borewell VES drilling .....to app depth of 1100FT ft/mtrs. Below the ground level, casing pipe required be to app depth of 318FT ft/mtrs.

Approx, yield expected may be around 4200 GPH.

Suggested to drill 4 $\frac{1}{2}$" / 6 $\frac{1}{2}$" dia Borewell.

****

NOTE : Although the best site for drilling has been suggested, no guarantee of success can be given and we will not be liable in any way for any loss to the party in respect of the well drilled at the site recommended being a failure in any form.

Save Water

(NAGARAJ MOKASHI)

SAVE ENVIRONMENT **ADOPT RAINWATER HARVESTING**

Services : Ground Water location by geo-hydrological, geophysical and divining methods, Drilling advisors and supervision. Rain Water harvesting, water shed management, Quarry operations, Planning, Water testing, Soil Testing & Surveying.